EXPLORER 510

Ultra-Portable Satellite Companion



Product Sheet



EXPLORER 510

Ultra-Portable Satellite Companion

A rugged BGAN fit for purpose

The all new EXPLORER 510 is the smallest ever EXPLORER BGAN and the ideal combination of performance and portability.

The durable magnesium casing and a dust and water resistant design makes the EXPLORER 510 the perfect choice when working off the beaten track, but still dependant on a reliable connection.

Portable performance

Smaller than a standard laptop and weighing 1.4 kg, this satellite terminal is easy to carry along when travelling the world.

It supports your need for performance and provides high quality voice and data access at speeds up to 464 kbps.



Connect the optional EXPLORER Cellular Modem to the USB port and turn your device into a true communication SmartHub. Use local cellular net when available and BGAN if no other option.

Satellite connectivity made simple

EXPLORER 510 is easy to set-up and to operate. The user interface is intuitive and can be accessed from your PC or any kind of smart device.

With the EXPLORER Connect App you can use your smart device to make calls or easily access the internet even in areas with no terrestrial or cellular coverage. The EXPLORER Connect App with a SIP softphone is available on Android and IOS.



Specifications

| • | |
|-------------------------|--------------------------------|
| Dimensions | |
| Total H / W / D: | 202 / 202 / 51.8 mm |
| | 7.8 / 7.8 / 1.6 inches |
| Weight (incl. battery): | 1.4kg / 3.1lbs |
| Data capabilities | |
| Standard IP: | Up to 464 kbps |
| Streaming IP: | 32, 64, 128 kbps |
| Voice capabilities | |
| Standard voice: | 4 kbps |
| Premium voice: | 3.1 kHz audio, 64 kbps |
| Inmarsat frequencies: | 1518.0 - 1525.0 MHz (Rx) (EMEA |
| | 1525.0 - 1559.0 MHz (Rx) |
| | 1626.5 - 1660.5 MHz (Tx) |
| | 1668.0 - 1675.0 MHz (Tx) (EMEA |
| EIRP: | 15.1 dBW ±1dB |
| | |

User interface: Two LED (WLAN, Status), 1 Power Button USB Host, Cobham web interface

Languages: ENG, FR, DE, ES, RU, JP and CN **Approvals:** CE, FCC, IC, C-TICK

Inmarsat Class 2 Type Approval

inmarsat

Interfaces

| IEEE 802.11 b/g/n |
|-------------------|
| |
| 2.0 (host) |
| Up to 1A |
| |

1 x BGAN SIM-Card slot

Temperature

Environmental conditions

| Storage: | -25°C to +80°C / -13°F to +176°F |
|----------------------|----------------------------------|
| Battery storage temp | erature |
| 1 month: | -20°C to +60°C / -4°F to +140°F |
| 3 months: | -20°C to +45°C / -4°F to +113°F |
| 1 year: | -20°C to +25°C / -4°F to +77°F |
| Relative humidity: | 95% non-condensing |
| | at +40°C/+104°F |
| Robustness: | 0.5 m/1.64 ft drop on concrete |
| | (operational, 95% survival) |
| Water and dust: | IP-66 Compiant |

10.5-32VDC

Operational (ambient): -25°C to +55°C / -13°F to +131°F

Power

DC input range:

| Power consumption | |
|----------------------|-----------------------------------|
| Standby / transmit: | 2.8W / 19W (typical) |
| During charging: | 20W (max.) |
| Connector type | 2.5mm EIAJ RC-5320-IV |
| AC/DC power supply | |
| Input: | 100-240VAC, 47-63Hz, 64W |
| Output: | 19VDC |
| Built-in Battery: | Lithium ion (rechargeable) |
| Stand-by time: | 24h, 0°C to 55°C / +32°F to +131° |
| Standard call: | Minimum 3h (TBC) |
| Receive time, max.: | 4h40m @ 128kbps |
| Transmit time, max.: | 2h25m @ 128kbps |
| Recharge time: | Less than 3 hours |
| Charge temperature: | 0°C to 45°C / +32°F to +113° |

Other features

EXPLORER Connect App for IOS and Android:

Includes a SIP Softphone, Terminal Access to control your BGAN and Pointing Assistance.

EXPLORER Cellular Modem for USB:

With the EXPLORER LTE Modern you can connect local cellular networks and use the EXPLORER 510 as wireless router for all your devices.

Package

- EXPLORER 510 terminal
- Built-in Rechargeable Lithium Ion Battery
- EXPLORER Softbag
- USB to Ethernet Converter Cable
- 100-240VAC Power Supply
- Multi-Languge Quick Start Quide
- Multi-language webserver and embedded manual (ENG, FR, DE, ES, RU, JP and CN)

Accessories

- Polemount
- EXPLORER Softbag (included in the package)
- 100-240VAC power supply
- Car Charger cable
- EXPLORER Cellular USB Modem

Product number

403711A-00500 EXPLORER 510 Terminal

For further information please contact: satcom.land@cobhamsatcom.com